INDEX TO AUTHORS

AJL, SAMUEL J. See MONTIE, MONTIE, and AJL, 1201

ALLEN, JOAN M. V. See REIF and ALLEN, 413

AMOS, D. BERNARD. See HATTLER, SCHLESINGER, and AMOS, 783

ANDERSEN, BURTON R., and VANNIER, WILTON E. The sedimentation properties of the skin-sensitizing antibodies of ragweed-sensitive patients, 31

ARMENTROUT, STEVEN. See WEISBERGER, WOLFE, and ARMENTROUT, 161

ARONOW, RITA, DANON, DAVID, SHAHAR, AVRAHAM, and ARONSON, MOSHE. Electron microscopy of *in vitro* endocytosis of T_2 phage by cells from rabbit peritoneal exudate, 943

ARONSON, MOSHE. See ARONOW DANON, SHAHAR, and ARONSON, 943

ARQUILLA, E. R., HAMLIN, J., HAMASHIGE, S., and MILLER, A. Interference with immune hemolysis by glycoprotein antigens, 841

AUSTEN, K. FRANK. See BECKER and AUSTEN, 491

BANG, F. B. See HUANG and BANG, 129

BEARN, ALEXANDER G., KITCHIN, F. DAVID, and BOWMAN, BARBARA H. Heterogeneity of the inherited group-specific component of human serum, 83

—. See SHIM and BEARN, 611

BECKER, ELMER L., and AUSTEN, K. FRANK. A comparison of the specificity of inhibition by phosphonate esters of the first component of complement and the antigen-induced release of histamine from guinea pig lung, 491

BELL, ALLEN L. See MENEFEE, MUELLER, BELL, and MYERS, 1129

—. See MENEFEE, MUELLER, MILLER, MYERS, and BELL, 1139

BENACERRAF, BARUJ. See LEVINE and BENACERRAF, 955

—. See NUSSENZWEIG, MERRYMAN, and BENACERRAF, 315

BEN-EFRAIM, S., and CINADER, B. The role of complement in the passive cutaneous reaction of mice, 925

BERRY, L. JOE, and SMYTHE, DOROTHY S. Effects of bacterial endotoxins on metabolism. VII. Enzyme induction and cortisone protection, 721

BEZER, ADA E. See TORII, KABAT, and BEZER, 13

BOHNHOFF, MARJORIE, MILLER, C. PHILLIP, and MARTIN, WILLIAM R. Resistance of the mouse's intestinal tract to experimental *Salmonella* infection. I. Factors which interfere with the initiation of infection by oral inoculation, 805

—, —, and —. II. Factors responsible for its loss following streptomycin treatment, 817

BORNSTEIN, PAUL, and OUDIN, JACQUES. A study of rabbit γ-globulin allotypy by means of heteroimmunizations, 655

BOWMAN, BARBARA H. See BEARN, KITCHIN, and BOWMAN, 83

BRANDRISS, MICHAEL W. See CARPENTER and BRANDRISS, 1231

BRINE, KATHERINE L. See MOSES, EBERT, GRAHAM, and BRINE, 57

BROOKE, MARCUS S. Experimental runt disease in mice caused by *Salmonella typhimurium*, var. *copenhagen*, 375
BROOME, J. D., and KIDD, JOHN G. The anticoagulant and antilymphoma properties of arsenic azoproteins. I. Anticoagulant effects of arsenic azoproteins *in vivo* and *in vitro*: comparison of arsenicals as anticoagulants and as antilymphoma agents: molecular structure in relation to anticoagulant and antilymphoma properties, 449
— and —. II. Combination of arsenic azoproteins with fibrinogen and polymerizing fibrin *in vitro*: alterations in mitosis of Lymphoma 6C3HED cells induced *in vivo* with arsenic azoproteins: discussion of means whereby arsenic azoproteins may act upon Lymphoma 6C3HED cells *in vivo*, 467
BUTLER, WILLIAM T., and COONS, ALBERT H. Studies on antibody production. XII. Inhibition of priming by drugs, 1051
—. See FECSIK, BUTLER, and COONS, 1041

CARPENTER, ROBERT R., and BRANDRISS, MICHAEL W. *In vitro* studies of cellular hypersensitivity. II. Relationship of delayed hypersensitivity and inhibition of cell migration by picrylated proteins, 1631
CHASE, CYNTHIA H. See PIERCE-CHASE.
CHIN, DENNIS. See FONG, CHIN, and ELBERG, 885
CHRISTIAN, GARY D. See SCHUR and CHRISTIAN, 531
CINADER, B., DUBISKI, S., and WARDLAW, A. C. Distribution, inheritance, and properties of an antigen, MuB1, and its relation to hemolytic complement, 897
—. See BEN-EFRAIM and CINADER, 925
COHN, ZANVIL A. The fate of bacteria within phagocytic cells. III. Destruction of an *Escherichia coli* agglutinogen within polymorphonuclear leucocytes and macrophages, 869
COLLIER, R. J., and PAPPENHEIMER, A. M., JR. Studies of the mode of action of diphtheria toxin. I. Phosphorylated intermediates in normal and intoxicated HeLa cells, 1007
— and —. II. Effect of toxin on amino acid incorporation in cell-free systems, 1019
COONS, ALBERT H. See BUTLER and COONS, 1051
—. See CRUCHAUD and COONS, 1061
—. See FECSIK, BUTLER, and COONS, 1041
CRADDOCK, CHARLES G., NAKAI, GEORGE S., FUKUTA, HAJIME, and VANSLAGER, LOUISE M. Proliferative activity of the lymphatic tissues of rats as studied with tritium-labeled thymidine, 389
CRUCHAUD, ANDRÉ, and COONS, ALBERT H. Studies on antibody production. XIII. The effect of chloramphenicol on priming in mice, 1061
CUPPAGE, FRANCIS E. See DEODHAR, CUPPAGE, and GABLEMAN, 677
CURTIS, STEPHEN N., and KRAUSE, RICHARD M. Antigenic relationships between Groups B and G streptococci, 629

DANIEL, THOMAS M. See WEISBERGER, DANIEL, and HOFFMAN, 183
DANON, DAVID. See ARONOW, DANON, SHAHAR, and ARONSON, 943
DAVENPORT, F. M., HENNESSY, A. V., DRESCHER, J., MULDER, J., and FRANCIS, T., JR. Furthur observations on the relevance of serologic recapitulations of human infection with influenza viruses, 1087
DAVID, JOHN R., LAWRENCE, H. S.,

and THOMAS, L. The *in vitro* desensitization of sensitive cells by trypsin, 1189
DEODHAR, SHARAD D., CUPPAGE, FRANCIS E., and GABLEMAN, E. Studies on the mechanism of experimental proteinuria induced by renin, 677
DES PREZ, ROGER M. Effects of bacterial endotoxin on rabbit platelets. III. Comparison of platelet injury induced by thrombin and by endotoxin, 305
DODD, BARBARA E., and WILKINSON, P. C. A study of the distribution of incomplete rhesus antibodies among the serum immunoglobulin fractions, 45
DORNER, MARIANNE M., and UHR, JONATHAN W. Immunologic tolerance after specific immunization, 435
DRESCHER, J. See DAVENPORT, HENNESSY, DRESCHER, MULDER, and FRANCIS, 1087
DUBISKI, S. See CINADER, DUBISKI, and WARDLAW, 897
DUBOS, RENÉ. See FAUVE, PIERCE-CHASE, and DUBOS, 283
—. See PIERCE-CHASE, FAUVE, and DUBOS, 267

EBERT, ROBERT H. See MOSES, EBERT, GRAHAM, and BRINE, 57
EDELMAN, G. M. See FOUGEREAU, OLINS, and EDELMAN, 349
EKSTEDT, RICHARD D., and NISHIMURA, EDWIN T. Runt disease induced in neonatal mice by sterile bacterial vaccines, 795
ELBERG, SANFORD S. See FONG, CHIN, and ELBERG, 885
ELKINS, WILLIAM L. Invasion and destruction of homologous kidney by locally inoculated lymphoid cells, 329
EPSTEIN, WALLACE V., and GROSS, DALE. Naturally occurring human antibody reacting with Bence Jones proteins, 733

FAHEY, JOHN L., WUNDERLICH, JOHN, and MISHELL, ROBERT. The immunoglobulins of mice. I. Four major classes of immunoglobulins: 7S γ_2-, 7S γ_1-, γ_{1A} (β_{2A})-, and 18S γ_{1M}-globulins, 223
—, —, and —. II. Two subclasses of mouse 7S γ_2-globulins: γ_{2a}- and γ_{2b}-globulins, 243
FAUVE, ROBERT M., PIERCE-CHASE, CYNTHIA H., and DUBOS, RENÉ. Corynebacterial pseudotuberculosis in mice. II. Activation of natural and experimental latent infections, 283
—. See PIERCE-CHASE, FAUVE, and DUBOS, 267
FECSIK, ALFONZ I., BUTLER, WILLIAM T., and COONS, ALBERT H. Studies on antibody production. XI. Variation in the secondary response as a function of the length of the interval between two antigenic stimuli, 1041
FERNANDES, MARIO V., WIKTOR, TADEUSZ J., and KOPROWSKI, HILARY. Endosymbiotic relationship between animal viruses and host cells. A study of rabies virus in tissue culture, 1099
FINSTAD, JOANNE, and GOOD, ROBERT A. The evolution of the immune response. III. Immunologic responses in the lamprey, 1151
FITCH, FRANK W. See ROWLEY and FITCH, 987
FONG, JACOB, CHIN, DENNIS, and ELBERG, SANFORD S. Studies of tubercle bacillus–histiocyte relationships. VIII. Comparative study of cellular resistance induced by *Brucella* and mycobacteria, 885
FOUGEREAU, M., OLINS, D. E., and EDELMAN, G. M. Reconstitution of antiphage antibodies from L and H polypeptide chains and the formation of interspecies molecular hybrids, 349
FRANCIS, T., JR. See DAVENPORT,

HENNESSY, DRESCHER, MULDER, and FRANCIS, 1087
FRANKLIN, DOROTHEA. See ZUCKER-FRANKLIN.
FRANKLIN, E. C. Structural studies of human 7S γ-globulin, G immunoglobulin. Further observations of a naturally occurring protein related to the crystallizable (fast) fragment, 691
FUKUTA, HAJIME. See CRADDOCK, NAKAI, FUKUTA, and VANSLAGER, 389

GABLEMAN, E. See DEODHAR, CUPPAGE, and GABLEMAN, 677
GINDER, DAVID R. Increased susceptibility of mice infected with mouse adenovirus to *Escherichia coli*–induced pyelonephritis, 1117
GOOD, ROBERT A. See FINSTAD and GOOD, 1151
GRAHAM, RICHARD C. See MOSES, EBERT, GRAHAM, and BRINE, 57
GREY, HOWARD M., and KUNKEL, HENRY G. H chain subgroups of myeloma proteins and normal 7S γ-globulin, 253
GROSS, DALE. See EPSTEIN and GROSS, 733

HAMASHIGE, S. See ARQUILLA, HAMLIN, HAMASHIGE, and MILLER, 841
HAMLIN, J. See ARQUILLA, HAMLIN, HAMASHIGE, and MILLER, 841
DE HARVEN, ETIENNE. Virus particles in the thymus of conventional and germfree mice, 857
HATTLER, BRACK G., JR., SCHLESINGER, MICHAEL, and AMOS, D. BERNARD. The differing survival of normal and sensitized spleen cells transferred to allogeneic hosts, 783
HEIDELBERGER, MICHAEL, and TYLER, JEAN M. Cross-reactions of pneumococcal types. Quantitative studies with the capsular polysaccharides, 711
HENDERSON, JAMES S., and ROUS, PEYTON. Further experiments on the cause of sequential neoplastic changes. The effects of 20-methylcholanthrene on transplanted epidermal mouse papillomas and the derivative carcinomas, 197
HENNESSY, A. V. See DAVENPORT, HENNESSY, DRESCHER, MULDER, and FRANCIS, 1087
HIRSCH, JAMES G. See QUIE and HIRSCH, 149
—. See ZUCKER-FRANKLIN and HIRSCH, 569
HOFFMAN, ALLAN. See WEISBERGER, DANIEL, and HOFFMAN, 183
HUANG, J. S., and BANG, F. B. The susceptibility of chick embryo skin organ cultures to influenza virus following excess vitamin A, 129

JACOBSON, MYRON. See WARREN, JACOBSON, MIRANY, and PROHASKA, 561
JAMIESON, JAMES D. See WHITE, LEIDY, JAMIESON, and SHOPE, 1
JANOFF, AARON, and ZWEIFACH, BENJAMIN W. Production of inflammatory changes in the microcirculation by cationic proteins extracted from lysosomes, 747
JOHNSON, RICHARD T. The pathogenesis of herpes virus encephalitis. II. A cellular basis for the development of resistance with age, 359

KABAT, ELVIN A. See TORII, KABAT, and BEZER, 13
KARUSH, FRED. See ROCKEY, KLINMAN, and KARUSH, 589
KIDD, JOHN G. See BROOME and KIDD, 449, 467
KITCHIN, F. DAVID. See BEARN, KITCHIN, and BOWMAN, 83

KLINMAN, NORMAN R. See ROCKEY, KLINMAN, and KARUSH, 589
KOPROWSKI, HILARY. See FERNANDES, WIKTOR, and KOPROWSKI, 1099
KRAUSE, RICHARD M. See CURTIS and KRAUSE, 629
KUNKEL, HENRY G. See GREY and KUNKEL, 253
—. See SCHROHENLOHER, KUNKEL, and TOMASI, 1215

LAWRENCE, H. S. See DAVID, LAWRENCE, and THOMAS, 1189
LEIDY, GRACE. See WHITE, LEIDY, JAMIESON, and SHOPE, 1
LEVINE, BERNARD B., and BENACERRAF, BARUJ. Studies on antigenicity. The relationship between *in vivo* and *in vitro* enzymatic degradability of hapten-polylysine conjugates and their antigenicities in guinea pigs, 955
LICHTENSTEIN, LAWRENCE M., and OSLER, ABRAHAM G. Studies on the mechanisms of hypersensitivity phenomena. IX. Histamine release from human leucocytes by ragweed pollen antigen, 507

MACKANESS, G. B. The immunological basis of acquired cellular resistance, 105
—. See MIKI and MACKANESS, 93
MANNIK, MART. See METZGER and MANNIK, 765
MÅRTENSSON, LARS. On the relationships between the γ-globulin genes of the Gm system. A study of Gm gene products in sera, myeloma globulins, and specific antibodies with special reference to the gene Gm^f, 1169
MARTIN, WILLIAM R. See BOHNHOFF, MILLER, and MARTIN, 805, 817
MCCOMB, DOROTHY E. See NICHOLS and MCCOMB, 639
MENEFEE, MAX G., MUELLER, C. BARBER, BELL, ALLEN L., and MYERS, JOSEPH K. Transport of globin by the renal glomerulus, 1129
—, —, MILLER, TRACY B., MYERS, JOSEPH K., and BELL, ALLEN L. Experimental studies in acute renal failure. II. Fine structure changes in tubules associated with renal failure induced by globin, 1139
MERRYMAN, CARMEN. See NUSSENZWEIG, MERRYMAN, and BENACERRAF, 315
METZGER, HENRY, and MANNIK, MART. Recombination of antibody polypeptide chains in the presence of antigen, 765
MIKI, K., and MACKANESS, G. B. The passive transfer of acquired resistance to *Listeria monocytogenes*, 93
MILLER, A. See ARQUILLA, HAMLIN, HAMASHIGE, and MILLER, 841
MILLER, C. PHILLIP. See BOHNHOFF, MILLER, and MARTIN, 805, 817
MILLER, J. J., III, and NOSSAL, G. J. V. Antigens in immunity. VI. The phagocytic reticulum of lymph node follicles, 1075
MILLER, TRACY B. See MENEFEE, MUELLER, MILLER, MYERS, and BELL, 1139
MIRANY, JAFAR. See WARREN, JACOBSON, MIRANY, and PROHASKA, 561
MISHELL, ROBERT. See FAHEY, WUNDERLICH, and MISHELL, 223, 243
MONTIE, DIANE B. See MONTIE, MONTIE, and AJL, 1201
MONTIE, THOMAS C., MONTIE, DIANE B., and AJL, SAMUEL J. The identification and isolation of two mouse-toxic, protein components in extracts from *Pasteurella pestis*, 1201
MOSES, JOHN M., EBERT, ROBERT H., GRAHAM, RICHARD C., and BRINE,

KATHERINE L. Pathogenesis of inflammation. I. The production of an inflammatory substance from rabbit granulocytes *in vitro* and its relationship to leucocyte pyrogen, 57

MUELLER, C. BARBER. See MENEFEE, MUELLER, BELL, and MYERS, 1129

—. See MENEFEE, MUELLER, MILLER, MYERS, and BELL, 1139

MULDER, J. See DAVENPORT, HENNESSY, DRESCHER, MULDER, and FRANCIS, 1087

MYERS, JOSEPH K. See MENEFEE, MUELLER, BELL, and MYERS, 1129

—. See MENEFEE, MUELLER, MILLER, MYERS, and BELL, 1139

NAKAI, GEORGE S. See CRADDOCK, NAKAI, FUKUTA, and VANSLAGER, 389

NICHOLS, ROGER L., and MCCOMB, DOROTHY E. Serologic strain differentiation in trachoma, 639

NISHIMURA, EDWIN T. See EKSTEDT and NISHIMURA, 795

NOSSAL, G. J. V. See MILLER and NOSSAL, 1075

NUSSENZWEIG, RUTH SONNTAG, MERRYMAN, CARMEN, and BENACERRAF, BARUJ. Electrophoretic separation and properties of mouse antihapten antibodies involved in passive cutaneous anaphylaxis and passive hemolysis, 315

OLINS, D. E. See FOURGEREAU, OLINS, and EDELMAN, 349

OSLER, ABRAHAM G. See LICHENSTEIN and OSLER, 507

OUDIN, JACQUES. See BORNSTEIN and OUDIN, 655

PAPPENHEIMER, A. M., JR. See COLLIER and PAPPENHEIMER, 1007, 1019

PEARSON, CARL M., and WOOD, FAE D. Passive transfer of adjuvant arthritis by lymph node or spleen cells, 547

PIERCE-CHASE, CYNTHIA H., FAUVE, ROBERT M., and DUBOS, RENÉ. Corynebacterial pseudotuberculosis in mice. I. Comparative susceptibility of mouse strains to experimental infection with *Corynebacterium kutscheri*, 267

—. See FAUVE, PIERCE-CHASE, and DUBOS, 283

POPE, JOHN H., and ROWE, WALLACE P. Detection of specific antigen in SV40-transformed cells by immunofluorescence, 121

— and —. Immunofluorescent studies of adenovirus 12 tumors and of cells transformed or infected by adenoviruses, 577

PROHASKA, JOHN VAN. See WARREN, JACOBSON, MIRANY, and PROHASKA, 561

QUIE, PAUL G., and HIRSCH, JAMES G. Antiserum to leucocyte lysosomes. Its cytotoxic, granulolytic, and hemolytic activities, 149

REIF, ARNOLD E., and ALLEN, JOAN M. V. The AKR thymic antigen and its distribution in leucemias and nervous tissues, 413

ROCKEY, JOHN H., KLINMAN, NORMAN R., and KARUSH, FRED. Equine antihapten antibody. I. 7S β_{2A}- and 10S γ_1-globulin components of purified anti-β-lactoside antibody, 589

ROUS, PEYTON. See HENDERSON and ROUS, 197

ROWE, WALLACE P. See POPE and ROWE, 121, 577

—. See WILSNACK and ROWE, 829

ROWLEY, DONALD A., and FITCH, FRANK W. Homeostasis of antibody formation in the adult rat, 987

SCHLESINGER, MICHAEL. See HATTLER, SCHLESINGER, and AMOS, 783

SCHROHENLOHER, RALPH E., KUNKEL, HENRY G., and TOMASI, THOMAS B. Activity of dissociated and reassociated 19S anti–γ-globulin, 1215

SCHUR, PETER H., and CHRISTIAN, GARY D. The role of disulfide bonds in the complement-fixing and precipitating properties of 7S rabbit and sheep antibodies, 531

SELL, STEWART. Evidence for species' differences in the effect of serum γ-globulin concentration on γ-globulin catabolism, 967

SHAHAR, AVRAHAM. See ARONOW, DANON, SHAHAR, and ARONSON, 943

SHIM, BONG-SOP, and BEARN, ALEXANDER G. Immunological and biochemical studies on serum haptoglobin, 611

SHOPE, RICHARD E. See WHITE, LEIDY, JAMIESON, and SHOPE, 1

SMYTHE, DOROTHY S. See BERRY and SMYTHE, 721

THOMAS, L. See DAVID, LAWRENCE, and THOMAS, 1189

TOMASI, THOMAS B. See SCHROHENLOHER, KUNKEL, and TOMASI, 1215

TORII, MITSUO, KABAT, ELVIN A., and BEZER, ADA E. Separation of teichoic acid of *Staphylococcus aureus* into two immunologically distinct specific polysaccharides with α- and β-*N*-acetylglucosaminyl linkages respectively. Antigenicity of teichoic acids in man, 13

TYLER, JEAN M. See HEIDELBERGER and TYLER, 711

UHR, JONATHAN W. See DORNER and UHR, 435

VANNIER, WILTON E. See ANDERSEN and VANNIER, 31

VANSLAGER, LOUISE M. See CRADDOCK, NAKAI, FUKUTA, and VANSLAGER, 389

WARDLAW, A. C. See CINADER, DUBISKI, and WARDLAW, 897

WARREN, SHERWYN E., JACOBSON, MYRON, MIRANY, JAFAR, and PROHASKA, JOHN VAN. Acute and chronic enterotoxin enteritis, 561

WEISBERGER, AUSTIN S., DANIEL, THOMAS M., and HOFFMAN, ALLAN. Suppression of antibody synthesis and prolongation of homograft survival by chloramphenicol, 183

—, WOLFE, SIDNEY, and ARMENTROUT, STEVEN. Inhibition of protein synthesis in mammalian cell-free systems by chloramphenicol, 161

WHITE, DAVID C., LEIDY, GRACE, JAMIESON, JAMES D., and SHOPE, RICHARD E. Porcine contagious pleuropneumonia. III. Interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*: nutritional, metabolic, transformation, and electron microscopy studies, 1

WIKTOR, TADEUSZ J. See FERNANDES, WIKTOR, and KOPROWSKI, 1099

WILKINSON, P. C. See DODD and WILKINSON, 45

WILSNACK, ROGER E., and ROWE, WALLACE P. Immunofluorescent studies of the histopathogenesis of lymphocytic choriomeningitis virus infection, 829

WOLFE, SIDNEY. See WEISBERGER, WOLFE, and ARMENTROUT, 161

WOOD, FAE D. See PEARSON and WOOD, 547

WUNDERLICH, JOHN. See FAHEY, WUNDERLICH, and MISHELL, 223, 243

ZUCKER-FRANKLIN, DOROTHEA, and HIRSCH, JAMES G. Electron microscope studies on the degranulation of rabbit peritoneal leucocytes during phagocytosis, 569

ZWEIFACH, BENJAMIN W. See JANOFF and ZWEIFACH, 747

INDEX TO SUBJECTS

ACETYLGLUCOSAMINYL, α- and β-*N*-, linkages respectively in two immunologically distinct specific polysaccharides separated from teichoic acid of *Staphylococcus aureus*, 13

Acid, amino, incorporation in cell-free systems, effect of diphtheria toxin on, 1019

—, teichoic, of *Staphylococcus aureus*, separation into two immunologically distinct specific polysaccharides with α- and β-*N*-acetylglucosaminyl linkages respectively, 13

Acids, teichoic, antigenicity in man, 13

Adenovirus, mouse, mice infected with, susceptibility to *Escherichia coli*-induced pyelonephritis, 1117

— 12 tumors and cells transformed or infected by adenoviruses, immunofluorescent studies, 577

Adenoviruses, cells transformed or infected by, and adenovirus 12 tumors, immunofluorescent studies, 577

Age, cellular basis for development of resistance with, pathogenesis of herpes virus encephalitis, 359

Agglutinogen, *Escherichia coli*, destruction within polymorphonuclear leucocytes and macrophages, 869

Allogeneic hosts, normal and sensitized spleen cells transferred to, differing survival, 783

Allotypy, γ-globulin, study by means of heteroimmunizations, 655

Amino acid incorporation in cell-free systems, effect of diphtheria toxin on, 1019

Anaphylaxis, passive cutaneous, and passive hemolysis, antihapten antibodies involved in, electrophoretic separation and properties, 315

Anti-β-lactoside antibody, purified, 7S β_{2A}- and 10S γ_1-globulin components, 589

Antibodies, antihapten, involved in passive cutaneous anaphylaxis and passive hemolysis, electrophoretic separation and properties, 315

—, antiphage, reconstitution from L and H polypeptide chains and formation of interspecies molecular hybrids, 349

—, incomplete rhesus, distribution among serum immunoglobulin fractions, 45

—, 7S, role of disulfide bonds in complement-fixing and precipitating properties, 531

—, skin-sensitizing, of ragweed-sensitive patients, sedimentation properties, 31

—, specific, sera, and myeloma globulins, study of Gm gene products in, with reference to gene Gm^f, 1169

Antibody formation, homeostasis, 987

—, naturally occurring human, reacting with Bence Jones proteins, 733

— polypeptide chains, recombination in presence of antigen, 765

— production, effect of chloramphenicol on priming, 1061

— production, inhibition of priming by drugs, 1051

— production, variation in secondary response as function of length of interval between two antigenic stimuli, 1041

Antibody, purified anti–β-lactoside, 7S β_{2A}- and 10S γ_1-globulin components, 589
— synthesis, suppression, and prolongation of homograft survival by chloramphenicol, 183
Anticoagulant and antilymphoma properties or arsenic azoproteins, 449, 467
— effects of arsenic azoproteins, comparison of arsenicals as anticoagulants and antilymphoma agents, molecular structure in relation to anticoagulant and antilymphoma properties, 449
Anti–γ-globulin, 19S, dissociated and reassociated, 1215
Antigen, AKR thymic, distribution in leucemias and nervous tissues, 413
—, MuB1, distribution, inheritance, and properties, relation to hemolytic complement, 897
—, ragweed pollen, histamine release from human leucocytes by, mechanisms of hypersensitivity phenomena, 507
—, recombination of antibody polypeptide chains in presence, 765
—, specific, detection in SV40-transformed cells by immunofluorescence, 121
Antigen-induced release of histamine from lung, comparison with specificity of inhibition by phosphonate esters of first component of complement, 491
Antigenic relationships between Groups B and G streptococci, 629
— stimuli, two, variation in secondary response as function of length of interval between, antibody production, 1041
Antigenicities and enzymatic degradability of hapten-polylysine conjugates, relationship, 955
Antigenicity of teichoic acids in man, 13
Antigens, glycoprotein, interference with immune hemolysis, 841
— in immunity, phagocytic reticulum of lymph node follicles, 1075
Antihapten antibodies involved in passive cutaneous anaphylaxis and passive hemolysis, electrophoretic separation and properties, 315
— antibody, 7S β_{2A}- and 10S γ_1-globulin components of purified anti–β-lactoside antibody, 589
Antilymphoma and anticoagulant agents, comparison of arsenicals as, anticoagulant effects of arsenic azoproteins, molecular structure in relation to anticoagulant and antilymphoma properties, 449
— and anticoagulant properties of arsenic azoproteins, 449, 467
Antiphage antibodies, reconstitution from L and H polypeptide chains and formation of interspecies molecular hybrids, 349
Antiserum to leucocyte lysosomes, its cytotoxic, granulolytic, and hemolytic activities, 149
Arsenic azoproteins, anticoagulant and antilymphoma properties, 449, 467
— azoproteins, anticoagulant effects, comparison of arsenicals as anticoagulants and antilymphoma agents, molecular structure in relation to anticoagulant and antilymphoma properties, 449
— azoproteins, combination with fibrinogen and polymerizing fibrin *in vitro*, alterations in mitosis of Lymphoma 6C3HED cells induced *in vivo* with arsenic azoproteins, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
Arsenicals as anticoagulants and antilymphoma agents, comparison, anticoagulant effects of arsenic azoproteins, molecular structure in relation to anticoagulant and antilymphoma properties, 449

Arthritis, adjuvant, passive transfer by lymph node or spleen cells, 547
Azoproteins, arsenic, anticoagulant and antilymphoma properties, 449, 467
—, arsenic, anticoagulant effects, comparison of arsenicals as anticoagulants and antilymphoma agents, molecular structure in relation to anticoagulant and antilymphoma properties, 449
—, arsenic, combination with fibrinogen and polymerizing fibrin *in vitro*, alterations in mitosis of Lymphoma 6C3HED cells induced *in vivo* with arsenic azoproteins, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467

BACILLUS, tubercle, and histiocyte relationships, cellular resistance induced by *Brucella* and mycobacteria, 885
Bacteria within phagocytic cells, fate, destruction of *Escherichia coli* agglutinogen within polymorphonuclear leucocytes and macrophages, 869
Bacterial endotoxin, effects on platelets, comparison of platelet injury induced by thrombin and endotoxin, 305
— endotoxins, effects on metabolism, enzyme induction and cortisone protection, 721
— vaccines, sterile, runt disease induced in neonatal mice by, 795
Bacteriophage, T_2, *in vitro* endocytosis by cells from peritoneal exudate, electron microscopy, 943
Bence Jones proteins, naturally occurring human antibody reacting with, 733
Biochemical and immunological studies on serum haptoglobin, 611
Brucella and mycobacteria, cellular resistance induced by, tubercle bacillus–histiocyte relationships, 885

CAPSULAR polysaccharides, quantitative studies, cross-reactions of pneumococcal types, 711
Carcinomas, derivative, and transplanted epidermal papillomas, effects of 20-methylcholanthrene on, 197
Catabolism, γ-globulin, effect of serum γ-globulin concentration on, species' differences, 967
Cationic proteins extracted from lysosomes, production of inflammatory changes in microcirculation by, 747
Cell migration by picrylated proteins, delayed hypersensitivity and inhibition of, relationship, 1231
Cell-free systems, amino acid incorporation in, effect of diphtheria toxin on, 1019
— systems, mammalian, inhibition of protein synthesis in, by chloramphenicol, 161
Cells from peritoneal exudate, *in vitro* endocytosis of T_2 phage by, electron microscopy, 943
—, HeLa, normal and intoxicated, phosphorylated intermediates in, mode of action of diphtheria, 1007
—, host, and animal viruses, endosymbiotic relationship, rabies virus in tissue culture, 1099
—, locally inoculated lymphoid, invasion and destruction of homologous kidney by, 329
—, lymph node and spleen, passive transfer of adjuvant arthritis by, 547
—, mitosis of Lymphoma 6C3HED, alterations induced *in vivo* with arsenic azoproteins, combination of arsenic azoproteins with fibrinogen and polymerizing fibrin *in vitro*, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
—, normal and sensitized spleen,

transferred to allogeneic hosts, differing survival, 783
Cells, peritoneal exudate, phagocytic, fate of bacteria within, destruction of *Escherichia coli* agglutinogen within polymorphonuclear leucocytes and macrophages, 869
—, sensitive, desensitization *in vitro* by trypsin, 1189
—, SV40-transformed, specific antigen in, detection by immunofluorescence, 121
— transformed or infected by adenoviruses and adenovirus 12 tumors, immunofluorescent studies, 577
Cellular basis for development of resistance with age, pathogenesis of herpes virus encephalitis, 359
— hypersensitivity, relationship to delayed hypersensitivity and inhibition of cell migration by picrylated proteins, 1231
— resistance, acquired, immunological basis, 105
— resistance induced by *Brucella* and mycobacteria, tubercle bacillus–histiocyte relationships, 885
Chain subgroups, H, of myeloma proteins and normal 7S γ-globulin, 253
Chains, antibody polypeptide, recombination in presence of antigen, 765
—, L and H polypeptide, reconstitution of antiphage antibodies from, and formation of interspecies molecular hybrids, 349
Chloramphenicol, effect on priming, antibody production, 1061
— inhibition of protein synthesis in mammalian cell-free systems, 161
— suppression of antibody synthesis and prolongation of homograft survival, 183
Cholanthrene, 20-methyl-, effects on transplanted epidermal papillomas and derivative carcinomas, 197
Choriomeningitis virus infection, lymphocytic infection, histopathogenesis of, immunofluorescent studies, 829
Circulation, micro-, production of inflammatory changes in, by cationic proteins extracted from lysosomes, 747
Complement, hemolytic, relation to antigen, MuB1, distribution, inheritance, and properties of antigen, 897
—, role in passive cutaneous reaction, 925
—, specificity of inhibition by phosphonate esters of first component, comparison with antigen-induced release of histamine from lung, 491
Complement-fixing and precipitating properties of 7S antibodies, role of disulfide bonds, 531
Concentration, serum γ-globulin, species' differences in effect on γ-globulin catabolism, 967
Conjugates, hapten-polylysine enzymatic degradibility of, and antigenicities, relationship, 955
Cortisone protection and enzyme induction, effects of bacterial endotoxins on metabolism, 721
Corynebacterial pseudotuberculosis, activation of latent infections, 283
— pseudotuberculosis, comparative susceptibility of mouse strains to infection with *Corynebacterium kutscheri*, 267
Corynebacterium kutscheri, infection with, comparative susceptibility of mouse strains to, corynebacterial pseudotuberculosis, 267
Crystallizable (fast) fragment, naturally occurring protein related to, structural studies of human 7S γ-globulin, G immunoglobulin, 691
Culture, tissue, rabies virus in, endosymbiotic relationship between ani-

mal viruses and host cells, 1099
Cultures, embryo skin organ, susceptibility to influenza virus following excess vitamin A, 129
Cytotoxic, granulolytic, and hemolytic activities of antiserum to leucocyte lysosomes, 149

DEGRANULATION of peritoneal leucocytes during phagocytosis, electron microscopy, 569
Desensitization of sensitive cells by trypsin, *in vitro*, 1189
Diphtheria toxin, mode of action, effect of toxin on amino acid incorporation in cell-free systems, 1019
— toxin, mode of action, phosphorylated intermediates in normal and intoxicated HeLa cells, 1007
Disease, runt, induced in neonatal mice by sterile bacterial vaccines, 795
Dissociated and reassociated 19S anti-γ-globulin, 1215
Disulfide bonds, role in complement-fixing and precipitating properties of 7S antibodies, 531
Drugs, inhibition of priming by, antibody production, 1051

ELECTRON microscopy, nutritional, metabolic, and transformation studies of interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*, porcine contagious pleuropneumonia, 1
— microscopy of degranulation of peritoneal leucocytes during phagocytosis, 569
— microscopy of *in vitro* endocytosis of T_2 phage by cells from peritoneal exudate, 943
Electrophoretic separation and properties of antihapten antibodies involved in passive cutaneous anaphylaxis and passive hemolysis, 315
Embryo skin organ cultures, susceptibility to influenza virus following excess vitamin A, 129
Encephalitis, herpes virus, pathogenesis, cellular basis for development of resistance with age, 359
Endocytosis, *in vitro*, of T_2 phage by cells from peritoneal exudate, electron microscopy, 943
Endosymbiotic relationship between animal viruses and host cells, rabies virus in tissue culture, 1099
Endotoxin, bacterial, effects on platelets, comparison of platelet injury induced by thrombin and endotoxin, 305
Endotoxins, bacterial, effects on metabolism, enzyme induction and cortisone protection, 721
Enteritis, enterotoxin, acute and chronic, 561
Enterotoxin enteritis, acute and chronic, 561
Enzymatic degradability of hapten-polylysine conjugates and antigenicities, relationship, 955
Enzyme induction and cortisone protection, effects of bacterial endotoxins on metabolism, 721
Epidermal papillomas, transplanted, and derivative carcinomas, effects of 20-methylcholanthrene on, 197
Escherichia coli agglutinogen, destruction within polymorphonuclear leucocytes and macrophages, 869
Escherichia coli–induced pyelonephritis, susceptibility of mice infected with mouse adenovirus to, 1117
Esters, phosphonate, of the first component of complement, specificity of inhibition by, comparison with antigen-induced release of histamine from lung, 491
Evolution of immune response, im-

munologic responses in lamprey, 1151
Extracts from *Pasteurella pestis*, mouse-toxic components in, identification and isolation, 1201
Exudate, peritoneal, *in vitro* endocytosis of T_2 phage by cells from, electron microscopy, 943

FIBRIN, polymerizing, and fibrinogen *in vitro*, combination of arsenic azoproteins with, alterations in mitosis of Lymphoma 6C3HED cells induced *in vivo* with arsenic azoproteins, arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
Fibrinogen and polymerizing fibrin *in vitro*, combination of arsenic azoproteins with, alterations in mitosis of Lymphoma 6C3HED cells induced *in vivo* with arsenic azoproteins, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
Fluorescence, immuno-, detection of specific antigen in SV40-transformed cells by, 121
Fluorescent, immuno-, studies of adenovirus 12 tumors and cells transformed or infected by adenoviruses, 577
—, immuno-, studies of histopathogenesis of lymphocytic choriomeningitis, virus infection, 829
Follicles, lymph node, phagocytic reticulum, antigens in immunity, 1075

GENE products, Gm, in sera, myeloma, globulins, and specific antibodies, study with reference to gene Gm^f, 1169
Genes, γ-globulin, on Gm system, relationships, 1169
Germfree and conventional mice, virus particles in thymus, 857
Globin, fine structure changes in tubules associated with renal failure induced by, 1139
Globin, transport by renal glomerulus, 1129
Globulin components, 7S β_{2A}- and 10S γ_1-, of purified anti-β-lactoside antibody, 589
— concentration, γ-, serum, species' differences in effect on γ-globulin catabolism, 967
—, γ-, allotypy, study by means of heteroimmunizations, 655
—, γ-, genes on Gm system, relationships, 1169
—, 7S γ-, and myeloma proteins, H chain subgroups, 253
—, human, 7S γ-, G immunoglobulin, structural studies, naturally occurring protein related to crystallizable (fast) fragment, 691
—, immuno-, G, structural studies of human 7S γ-globulin, naturally occurring protein related to crystallizable (fast) fragment, 691
—, immuno-, serum fractions, distribution of incomplete rhesus antibodies, 45
Globulins, 7S γ_2-, 7S γ_1-, $\gamma_{1A}(\beta_{2A})$-, and 18S γ_{1M}-, four major classes of immunoglobulins, 223
—, 7S γ_2-, two subclasses, γ_{2a}- and γ_{2b}-globulins, 243
—, immuno-, four major classes, 7S γ_2-, 7S γ_1-, $\gamma_{1A}(\beta_{2A})$-, and 18S γ_{1M}-globulins, 223
—, immuno-, two subclasses of 7S γ_2-globulins, γ_{2a}- and γ_{2b}-globulins, 243
—, myeloma, sera, and specific antibodies, study of Gm gene products in, with reference to gene Gm^f, 1169
Glomerulus, renal, transport of globin by, 1129
Glucosaminyl, α- and β-*N*-acetyl-, linkages respectively in two immunologically distinct specific polysaccharides separated from teichoic acid of *Staphylococcus aureus*, 13
Glycoprotein antigens, interference with immune hemolysis, 841
Granulocytes, production of inflam-

matory substance *in vitro*, and relationship to leucocyte pyrogen, pathogenesis of inflammation, 57
Granulolytic, cytotoxic, and hemolytic activities of antiserum to leucocyte lysosomes, 149

HAPTEN-POLYLYSINE conjugates, enzymatic degradability of, and antigenicities, relationship, 955
Haptoglobin, serum, immunological and biochemical studies, 611
HeLa cells, normal and intoxicated, phosphorylated intermediates in, mode of action of diphtheria toxin, 1007
Hemolysis, immune, interference with, by glycoprotein antigens, 841
—, passive, and passive cutaneous anaphylaxis, antihapten antibodies involved in, electrophoretic separation and properties, 315
Hemolytic complement, relation to antigen, MuB1, distribution, inheritance, and properties of antigen, 897
—, cytotoxic, and granulolytic activities of antiserum to leucocyte lysosomes, 149
Hemophilus pleuropneumoniae, nutritional, metabolic, transformation, and electron microscopy studies of interrelationship to other species of *Hemophilus*, porcine contagious pleuropneumonia, 1
Heredity, distribution, and properties of antigen, MuB1, and relation to hemolytic complement, 897
Herpes virus encephalitis, pathogenesis, cellular basis for development of resistance with age, 359
Heterogeneity of inherited group-specific component of human serum, 83
Heteroimmunizations used to study γ-globulin allotypy, 655
Histamine, antigen-induced release from lung, comparison with specificity of inhibition by phosphonate esters of first component of complement, 491
Histamine release from human leucocytes by ragweed pollen antigen, mechanisms of hypersensitivity phenomena, 507
Histiocyte–tubercle bacillus relationships, cellular resistance induced by *Brucella* and mycobacteria, 885
Histopathogenesis of lymphocytic choriomeningitis virus infection, immunofluorescent studies, 829
Homeostasis of antibody formation, 987
Homograft survival, prolongation, and suppression of antibody synthesis by chloramphenicol, 183
Homologous kidney, invasion and destruction by locally inoculated lymphoid cells, 329
Host cells and animal viruses, endosymbiotic relationship, rabies virus in tissue culture, 1099
Hosts, allogeneic, normal and sensitized spleen cells transferred to, differing survival, 783
Hybrids, interspecies molecular, formation, and reconstitution of antiphage antibodies from L and H polypeptide chains, 349
Hypersensitivity, cellular, relationship of delayed hypersensitivity and inhibition of cell migration by picrylated proteins, 1231
—, delayed, and inhibition of cell migration by picrylated proteins relationship, 1231
— phenomena, mechanisms, histamine release from human leucocytes by ragweed pollen antigen, 507

IMMUNE hemolysis, interference with, by glycoprotein antigens, 841
— response, evolution, immunologic responses in lamprey, 1151

Immunity, antigens in, phagocytic reticulum of lymph node follicles, 1075
Immunization, specific, immunologic tolerance after, 435
Immunofluorescence, detection of specific antigen in SV40-transformed cells by, 121
Immunofluorescent studies of adenovirus 12 tumors and cells transformed or infected by adenoviruses, 577
— studies of histopathogenesis of lymphocytic choriomeningitis virus infection, 829
Immunoglobulin fractions, serum, distribution of incomplete rhesus antibodies, 45
—, G, structural studies of human 7S γ-globulin, naturally occurring protein related to crystallizable (fast) fragments, 691
Immunoglobulins, four major classes, 7S γ_2-, 7S γ_1-, $\gamma_{1A}(\beta_{2A})$-, and 18S γ_{1M}-globulins, 223
—, two subclasses of 7S γ_2-globulins, γ_{2a}- and γ_{2b}-globulins, 243
Immunologic responses in lamprey, evolution of immune response, 1151
— tolerance after specific immunization, 435
Immunological basis of acquired cellular resistance, 105
— and biochemical studies on serum haptoglobin, 611
Immunologically distinct specific polysaccharides with α- and β-*N*-acetylglucosaminyl linkages respectively separated from teichoic acid of *Staphylococcus aureus*, 13
Infected or transformed by adenoviruses, cells, and adenovirus 12 tumors, immunofluorescent studies, 577
Infection, lymphocytic choriomeningitis virus, histopathogenesis of, immunofluorescent studies, 829
— of mice with mouse adenovirus, susceptibility to *Escherichia coli*–induced pyelonephritis, 1117
Infection, *Salmonella*, resistance of intestinal tract to, interference with initiation of infection by oral inoculation, 805
—, *Salmonella*, resistance of intestinal tract to, loss of resistance following streptomycin treatment, 817
— with *Corynebacterium kutscheri*, comparative susceptibility of mouse strains to, corynebacterial pseudotuberculosis, 267
— with influenza viruses, human, relevance of serologic recapitulations, 1087
Infections, activation of latent, corynebacterial pseudotuberculosis, 283
Inflammation, pathogenesis, production of inflammatory substance from granulocytes *in vitro* and relationship to leucocyte pyrogen, 57
Inflammatory changes in microcirculation, production by cationic proteins extracted from lysosomes, 747
— substance from granulocytes *in vitro*, production and relationship to leucocyte pyrogen, pathogenesis of inflammation, 57
Influenza virus, susceptibility of embryo skin organ cultures following excess vitamin A, 129
— viruses, human infection with, relevance of serologic recapitulations, 1087
Inherited group-specific component of human serum, heterogeneity, 83
Inhibition by phosphonate esters of first component of complement, specificity of, comparison with antigen-induced release of histamine from lung, 491
— and delayed hypersensitivity, of cell migration by picrylated proteins, relationship, 1231
— of priming by drugs, antibody production, 1051

Injury, platelet, induced by thrombin and endotoxin, comparison, effects of bacterial endotoxin on platelets, 305
Inoculated lymphoid cells, locally, invasion and destruction of homologous kidney by, 329
Inoculation, oral, interference with initiation of infection by resistance of intestinal tract to *Salmonella* infection, 805
Intestinal tract, resistance to *Salmonella* infection, interference with initiation of infection by oral inoculation, 805
— tract, resistance to *Salmonella* infection, loss of resistance following streptomycin treatment, 817
Intoxicated and normal HeLa cells, phosphorylated intermediates in, mode of action of diphtheria toxin, 1007
Isolation and identification of mouse-toxic protein components in extracts from *Pasteurella pestis*, 1201

KIDNEY, fine structure changes in tubules associated with failure of, induced by globin, 1139
—, glomerulus of, transport of globin by, 1129
—, homologous, invasion and destruction by locally inoculated lymphoid cells, 329

LACTOSIDE, anti-β-, purified antibody, 7S β_{2A}- and 10S γ_1-globulin components, 589
Leucemias and nervous tissues, distribution of AKR thymic antigen in, 413
Leucocyte lysosomes, cytotoxic, granulolytic, and hemolytic activities of antiserum to, 149
— pyrogen, relationship to inflammatory substance from granulocytes and production of substance *in vitro*, pathogenesis of inflammation, 57
Leucocytes, human, histamine release from, by ragweed pollen antigen, mechanisms of hypersensitivity phenomena, 507
—, peritoneal, during phagocytosis, degranulation, electron microscopy, 569
—, polymorphonuclear, and macrophages, destruction of *Escherichia coli* within, 869
Listeria monocytogenes, passive transfer of acquired resistance to, 93
Lung, antigen-induced release of histamine from, comparison with specificity of inhibition by phosphonate esters of first component of complement, 491
Lymph node follicles, phagocytic reticulum, antigens in immunity, 1075
— node or spleen cells, passive transfer of adjuvant arthritis by, 547
Lymphatic tissues, proliferative activity as studied with tritium-labeled thymidine, 389
Lymphocytic choriomeningitis virus infection, histopathogenesis of, immunofluorescent studies, 829
Lymphoid cells, locally inoculated, invasion and destruction of homologous kidney by, 329
Lymphoma 6C3HED cells, mitosis of, alterations induced *in vivo*, with arsenic azoproteins, combination of arsenic azoproteins with fibrinogen and polymerizing fibrin *in vivo*, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
Lysosomes, cationic proteins extracted from, production of inflammatory changes in microcirculation by, 747
—, leucocyte, cytotoxic, granulolytic, and hemolytic activities of antiserum to, 149

MACROPHAGES and polymorphonuclear leucocytes, destruc-

tion of *Escherichia coli* agglutinogen within, 869
Mammalian cell-free systems, inhibition of protein synthesis in, by chloramphenicol, 161
Man, antigenicity of teichoic acids in, 13
—, 7S γ-globulin, G immunoglobulin in, structural studies, naturally occurring protein related to crystallizable (fast) fragment, 691
—, infection with influenza viruses in, relevance of serologic recapitulations, 1087
—, leucocytes in, histamine release from, by ragweed pollen antigen, mechanisms of hypersensitivity phenomena, 507
—, naturally occurring antibody in, reacting with Bence Jones proteins, 733
—, serum in, heterogeneity of inherited group-specific component, 83
Metabolic, transformation, nutritional, and electron microscopy studies of interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*, porcine contagious pleuropneumonia, 1
Metabolism, effects of bacterial endotoxins on, enzyme induction and cortisone protection, 721
20-Methylcholanthrene on transplanted epidermal papillomas and derivative carcinomas, effects, 197
Microcirculation, production of inflammatory changes in, by cationic proteins extracted from lysosomes, 747
Microscopy, electron, nutritional, metabolic, and transformation studies of interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*, porcine contagious pleuropneumonia, 1
—, electron, of degranulation of peritoneal leucocytes during phagocytosis, 569
Microscopy, electron, of *in vitro* endocytosis of T_2 phage by cells from peritoneal exudate, 943
Migration, cell, by picrylated proteins, delayed hypersensitivity and inhibition of, relationship, 1231
Mitosis of Lymphoma 6C3HED cell, alterations induced *in vivo* with arsenic azoproteins, combination of arsenic azoproteins with fibrinogen and polymerizing fibrin *in vitro*, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
Molecular hybrids, formation of interspecies, and reconstitution of antiphage antibodies from L and H polypeptide chains, 349
— structure in relation to anticoagulant and antilymphoma properties, anticoagulant effects of arsenic azoproteins, comparison of arsenicals as anticoagulants and antilymphoma agents, 449
Mycobacteria and *Brucella*, cellular resistance induced by, tubercle bacillus–histiocyte relationships, 885
Myeloma globulins, sera, and specific antibodies, study of Gm gene products in, with reference to gene Gm^f, 1169
— proteins and normal 7S γ-globulin, H chain subgroups, 253

NEONATAL mice, runt disease induced in, by sterile bacterial vaccines, 795
Neoplastic changes, sequential, effects of 20-methylcholanthrene on transplanted epidermal papillomas and derivative carcinomas, 197
Nervous tissues and leucemias, distribution of AKR thymic antigen in, 413
Node. *See* Lymph node.
Nutritional, metabolic, transformation, and electron microscopy studies of interrelationship of *Hemophilus pleuropneumoniae* to other

species of *Hemophilus*, porcine contagious pleuropneumonia, 1

ORAL inoculation, interference with initiation of infection by, resistance of intestinal tract to *Salmonella* infection, 805
Organ cultures, embryo skin, susceptibility to influenza virus following excess vitamin A, 129

PAPILLOMAS, transplanted epidermal, and derivative carcinomas, effects of 20-methylcholanthrene on, 197
Pasteurella pestis, mouse-toxic protein components in extracts from, identification and isolation, 1201
Pathogenesis of herpes virus encephalitis, cellular basis for development of resistance with age, 359
— of inflammation, production of inflammatory substance from granulocytes *in vitro* and relationship to leucocyte pyrogen, 57
Peritoneal exudate, *in vitro* endocytosis of T_2 phage by cells from, electron microscopy, 943
— leucocytes during phagocytosis, degranulation, electron microscopy, 569
Phage. *See* Bacteriophage.
Phagocytic cells, fate of bacteria within, destruction of *Escherichia coli* agglutinogen within polymorphonuclear leucocytes and macrophages, 869
— reticulum of lymph node follicles, antigens in immunity, 1075
Phagocytosis, degranulation of peritoneal leucocytes during, electron microscopy, 569
Phosphonate esters of the first component of complement, specificity of inhibition by, comparison with antigen-induced release of histamine from lung, 491
Phosphorylated intermediates in normal and intoxicated HeLa cells, mode of action of diphtheria toxin, 1007
Picrylated proteins, delayed hypersensitivity and inhibition of cell migration by, relationship, 1231
Platelets, effects of bacterial endotoxin on, comparison of platelet injury induced by thrombin and endotoxin, 305
Pleuropneumonia, porcine contagious, interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*: nutritional, metabolic, transformation, and electron microscopy studies, 1
Pneumococcal types, cross-reactions, quantitative studies with capsular polysaccharides, 711
Pollen antigen, ragweed, histamine release from human leucocytes by, mechanisms of hypersensitivity phenomena, 507
Polylysine-hapten conjugates, enzymatic degradability of, and antigenicities, relationship, 955
Polymerizing fibrin and fibrinogen *in vitro*, combination of arsenic azoproteins with, alterations in mitosis of Lymphoma 6C3HED cells induced *in vivo* with arsenic azoproteins, means arsenic azoproteins act upon Lymphoma 6C3HED cells *in vivo*, 467
Polymorphonuclear leucocytes and macrophages, destruction of *Escherichia coli* agglutinogen within, 869
Polypeptide chains, antibody, recombination in presence of antigen, 765
— chains, L and H, reconstitution of antiphage antibodies from, and formation of interspecies molecular hybrids, 349
Polysaccharides, capsular, quantitative studies, cross-reactions of pneumococcal types, 711
—, two immunologically distinct specific, with α- and β-*N*-acetylglucosaminyl linkages respectively separated from teichoic acid of *Staphylococcus aureus*, 13

Precipitating and complement-fixing properties of 7S antibodies, role of disulfide bonds, 531
Priming by drugs, inhibition, antibody production, 1051
—, effect of chloramphenicol on, antibody production 1061
Proliferative activity of lymphatic tissues as studied with tritium-labeled thymidine, 389
Protein, mouse-toxic components in extracts from *Pasteurella pestis*, identification and isolation, 1201
— related to crystallizable (fast) fragment, naturally occurring, structural studies of human 7S γ-globulin, G immunoglobulin, 691
— synthesis, inhibition in mammalian cell-free systems by chloramphenicol, 161
Proteins, Bence Jones, naturally occurring human antibody reacting with, 733
— extracted from lysosomes, cationic, production of inflammatory changes in microcomplement by, 747
—, myeloma, and normal 7S γ-globulin, H chain subgroups, 253
—, picrylated, delayed hypersensitivity and inhibition of cell migration by, relationship, 1231
Proteinuria induced by renin, mechanism, 677
Pseudotuberculosis, corynebacterial, activation of latent infection, 283
—, corynebacterial, comparative susceptibility of mouse strains to infection with *Corynebacterium kutscheri*, 267
Pyelonephritis induced by *Escherichia coli*, susceptibility of mice infected with mouse adenovirus to, 1117
Pyrogen, leucocyte, relationship to inflammatory substance from granulocytes and production of substance *in vitro*, pathogenesis of inflammation, 57

RABIES virus in tissue culture, endosymbiotic relationship between animal viruses and host cells, 1099
Ragweed pollen antigen, histamine release from human leucocytes by, mechanisms of hypersensitivity phenomena, 507
Ragweed-sensitive patients sedimentation properties of skin-sensitizing antibodies, 31
Reaction, passive cutaneous, role of complement in, 925
Reactions, cross-, of pneumococcal types, quantitative studies with capsular polysaccharides, 711
Reassociated, dissociated and, 19S anti-γ-globulin, 1215
Renal. *See* Kidney.
Renin, mechanism of proteinuria induced by, 677
Resistance, acquired cellular, immunological basis, 105
—, acquired, passive transfer to *Listeria monocytogenes*, 93
—, cellular, induced by *Brucella* and mycobacteria, tubercle bacillus–histiocyte relationships, 885
— of intestinal tract to *Salmonella* infection, interference with initiation of infection by oral inoculation, 805
— of intestinal tract to *Salmonella* infection, and loss of resistance following streptomycin treatment, 817
— with age, cellular basis for development, pathogenesis of herpes virus encephalitis, 359
Reticulum, phagocytic, of lymph node follicles, antigens in immunity, 1075
Rhesus antibodies, incomplete, distribution among serum immunoglobulin fractions, 45
Runt disease caused by *Salmonella typhimurium*, var. *copenhagen*, 375
— disease induced in neonatal mice by sterile bacterial vaccines, 795

SALMONELLA infection, resistance of intestinal tract to, interference with initiation of infection by oral inoculation, 805
— infection, resistance of intestinal tract to, loss of resistance following streptomycin treatment, 817
— *typhimurium*, var. *copenhagen*, cause of runt disease, 375
Sedimentation properties of skin-sensitizing antibodies of ragweed-sensitive patients, 31
Sensitive cells, desensitization *in vitro* by trypsin, 1189
Sensitized and normal spleen cells transferred to allogeneic hosts, differing survival, 783
Sera, myeloma globulins, and specific antibodies, study of Gm gene products in, with a reference to gene Gm^f, 1169
Serologic recapitulations of human infection with influenza viruses, relevance, 1087
— strain differentiation in trachoma, 639
Serum γ-globulin concentration, species' differences in effect on γ-globulin catabolism, 967
— haptoglobin, immunological and biochemical studies, 611
—, human, heterogeneity of inherited group-specific component, 83
— immunoglobulin fractions, distribution of incomplete rhesus antibodies, 45
Skin organ cultures, embryo, susceptibility to influenza virus following excess vitamin A, 129
—, passive anaphylaxis of, and passive hemolysis, antihapten antibodies involved in, electrophoretic separation and properties, 315
—, passive reaction of, role of complement in, 925
Skin-sensitizing antibodies of ragweed-sensitive patients, sedimentation properties, 31
Specific, group-, inherited component of human serum, heterogeneity, 83
Specificity of inhibition by phosphonate esters of first component of complement, comparison with antigen-induced release of histamine from lung, 491
Spleen cells, sensitized and normal, transferred to allogeneic hosts, differing survival, 783
— and lymph node cells, passive transfer of adjuvant arthritis by, 547
Staphylococcus aureus, teichoic acid of, separation into two immunologically distinct specific polysaccharides with α- and β-*N*-acetylglucosaminyl linkages respectively, 13
Sterile bacterial vaccines, runt disease induced in neonatal mice by, 795
Stimuli, two antigenic, variation in secondary response as function of length of interval between, antibody production, 1041
Streptococci, Groups B and G, antigenic relationships, 629
Streptomycin treatment followed by loss of resistance of intestinal tract to *Salmonella* infection, 817
Susceptibility of embryo skin organ cultures to influenza virus following excess vitamin A, 129
— of mice infected with mouse adenovirus to *Escherichia coli*–induced pyelonephritis, 1117
—, of mouse strains to infection with *Corynebacterium kutscheri*, comparative, corynebacterial pseudotuberculosis, 267
Synthesis, antibody, suppression, and prolongation of homograft survival by chloramphenicol, 183
—, protein, inhibition in mammalian cell-free systems by chloramphenicol, 161

TEICHOIC acid of *Staphylococcus aureus*, separation into two immunologically distinct specific poly-

saccharides with α- and β-*N*-acetylglucosaminyl linkages respectively, 13
Thrombin and endotoxin, comparison of platelet injury induced by, effects of bacterial endotoxin on platelets, 305
Thymic antigen, AKR, distribution in leucemias and nervous tissues, 413
Thymidine, tritium-labeled, proliferative activity of lymphatic tissues as studied with, 389
Thymus of conventional and germfree mice, virus particles in, 857
Tissue culture, rabies virus in, endosymbiotic relationship between animal viruses and host cells, 1099
Tissues, lymphatic, proliferative activity as studied with tritium-labeled thymidine, 389
—, nervous, and leucemias, distribution of AKR thymic antigen in, 413
Tolerance, immunologic, after specific immunization, 435
Toxic, mouse-, protein components in extracts from *Pasteurella pestis*, identification and isolation, 1201
Toxin, diphtheria, mode of action, effect of toxin on amino acid incorporation in cell-free systems, 1019
—, diphtheria, mode of action, phosphorylated intermediates in normal and intoxicated HeLa cells, 1007
Trachoma, serologic strain differentiation in, 639
Transfer of normal and sensitized cells to allogeneic hosts, differing survival, 783
—, passive, of acquired resistance to *Listeria monocytogenes*, 93
—, passive, of adjuvant arthritis by lymph node or spleen cells, 547
Transformation, metabolic, nutritional, and electron microscopy studies of interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*, porcine contagious pleuropneumonia, 1
Transformed cells, SV40-, detection of specific antigen in, by immunofluorescence, 121
— or infected by adenoviruses, cells, and adenovirus 12 tumors, immunofluorescent studies, 577
Transplanted epidermal papillomas and derivative carcinomas, effects of 20-methylcholanthrene on, 197
Tritium-labeled thymidine, proliferative activity of lymphatic tissues as studied with, 389
Trypsin, desensitization *in vitro* of sensitive cells by, 1189
Tubercle bacillus–histiocyte relationships, cellular resistance induced by *Brucella* and mycobacteria, 885
Tubules, fine structure changes in, associated with renal failure induced by globin, 1139
Tumors, adenovirus 12, and cells transformed or infected by adenoviruses, immunofluorescent studies, 577

VACCINES, sterile bacterial, runt disease induced in neonatal mice by, 795
Virus encephalitis, herpes, pathogenesis, cellular basis for development of resistance with age, 359
— infection, lymphocytic choriomeningitis, histopathogenesis of, immunofluorescent studies, 829
—, influenza, susceptibility of embryo skin organ cultures following excess vitamin A, 129
— particles in thymus of conventional and germfree mice, 857
—, rabies, in tissue culture, endo-

symbiotic relationship between animal viruses and host cells, 1099
Viruses, animal, and host cells, endosymbiotic relationship, rabies virus in tissue culture, 1099
Viruses, influenza, human infection with, relevance of serologic recapitulations, 1087
Vitamin A, excess, susceptibility of embryo skin organ cultures to influenza virus following, 129